



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

inadvertence, the name was altered to *S. rubricapilla* in a later volume of Wilson (Amer. Orn., VI, 1812, 15) and this appears to be the earliest eligible name for the Nashville Warbler. Under the A. O. U. Code. Nos. 645 and 645a of the 'Check-List' should therefore stand as *Helminthophila rubricapilla* (Wils.) and *Helminthophila rubricapilla gutturalis* (Ridgw.).—WALTER FAXON, *Museum of Comparative Zoölogy, Cambridge, Mass.*

Bachman's Warbler (*Helminthophila bachmani*) in Greene County, Arkansas.—Very early on the morning of May 7, 1896, while in the company of Mr. O. C. Poling, I heard among the score of voices a song which was new to me. It suggested a relationship to *Helminthophila pinus*, but it had several more notes to it. Neither was it a Parula song. After a little search we found the singer, a small yellow bird with conspicuous black throat and black crown, perched twelve feet above dry ground on the lower branch of a medium-sized tree surrounded by a heavy growth of blackberry and other bushes. It did not take me long to identify the bird, nor did it take Mr. Poling long to secure it.

Two days afterwards, May 9, we found and secured in the same manner a second male, only a few rods from where we took the first, but circumstances, among them, two very dead hogs, prevented a thorough search for the nests and females in the vicinity. The highly developed testes showed that they were breeding. The black of the throat extends from the chin to the breast. The locality is in the region of the peninsula of Missouri, on Boland Island, on the Arkansas side of the St. Francis River, and therefore in Greene County, Arkansas.—O. WIDMANN, *Old Orchard, Mo.*

Second Occurrence of the Blue-Gray Gnatcatcher in Maine.—On the morning of April 18, 1896, while driving past a farm-yard on Cape Elizabeth, about three miles from Portland, I heard the nasal call-note of a Blue-gray Gnatcatcher (*Poliioptila cærulea*). In another moment I saw the bird fly from an old oak to an orchard close at hand. Here I watched him at my leisure. He was very active, but not at all shy, coming several times within eight or ten feet of me, constantly calling, often singing, and repeatedly, of course, displaying his characteristic form and colors. There was no bird of any kind with him. An hour later, I drove past the farm-yard again, and found him still in the neighborhood, having simply crossed the highway. He was still entirely alone. I drove within a few feet of him, and watched him for several minutes,—until he again flew off into the orchard.

The weather throughout New England was almost summer-like for a week preceding April 18, and to this fact, perhaps, was due the bird's long journey from the usual haunts of his kind.